

Pass4Sures

Pass4sures

> Contact Us

👤 Login / Register

Search... 🔍

🏠 HOME


☰ ALL VENDORS

★ GUARANTEE

? FAQ

💬 TESTIMONIALS

🛒 CART (1)



Try **PDF Demo** before you buy

We're not the only ones **happy** about Pass4sures Practice Material ...

49562+ customers in 100+ countries use Pass4sures Test Engine. Meet our customers.

🏢 iCompany

🕒 Paradoxx

💬 iMessenger

🏭 VOREED

✂️ GetCustom

🔥 JET ORANGE



<http://www.pass4sures.top/>

Latest Exam Guide & Learning Materials

Exam : EE0-502

Title : F5 Big-IP V4 Advanced Topics Exam

Vendors : Exam Express

Version : DEMO

NO.1 What happens when a NAT has the "internal" VLAN disabled?

- A. There is no effect.
- B. Traffic arriving on other VLANs cannot be processed by the NAT.
- C. Only traffic arriving on the "internal" VLAN is processed by the NAT.
- D. The NAT only functions properly if both the client and servers are on VLANs other than the "internal" VLAN.

Answer: D

NO.2 What is the result of entering the following command? `bigpipe pool TestPool { lb_method round_robin member 10.10.1.1:80 member 10.10.1.2:80}`

- A. A new pool is available for association with any Virtual Server.
- B. The last Virtual Server defined is associated with the new pool, TestPool.
- C. The `/config/bigip.conf` file is updated to include a definition for the pool named TestPool.
- D. Requests sent to this BIG-IP System with a destination port of 80 are load balanced between the members of TestPool.

Answer:A

NO.3 What is the result of entering the following command? `bigpipe save`

- A. The contents of `/config/bigip.conf` are displayed on the monitor.
- B. The current version (in memory) of the BIG-IP System's configuration is written to `/etc/bigip.conf`.
- C. The current version (in memory) of the BIG-IP System's configuration is written to `/config/bigip.conf`.
- D. The contents of `/config/bigip.conf` are made the current version (in memory) of the BIG-IP System's configuration.

Answer: C

NO.4 What is required to implement VIP Bounceback configurations?

- A. a Network Virtual Server
- B. Clients and nodes must be located on separate VLANs.
- C. The Virtual Server address must be configured on each node's loopback adapter.
- D. A return path must be enforced through the BIG-IP System for the nodes' responses to clients.

Answer: D

NO.5 By default, how frequently are log files rotated?

A. hourly

B. daily

C. weekly

D. There is no default; the administrator sets the frequency.

Answer: B